The Journal of Cell Biology

Volume 139, 1997

Published biweekly by
The Rockefeller University Press
Managing Editor
Michael T. Rossner
Copyediting and Production
Justin Collins, Leslie M. Thomas, and Carrie Clark

Editor-in-Chief

Norton B. Gilula

Associate Editors

Don W. Cleveland
Werner Franke
Elaine Fuchs
Randy Schekman
Kenneth M. Yamada

Editorial Board

Richard G.W. Anderson
Vann Bennett
Paul Bornstein
Marianne Bronner-Fraser
Eric J. Brown
Lewis Cantley
John S. Condeelis
John Cooper
Elisabetta Dejana
David J. DeRosier
David Drubin
William Earnshaw
Scott Emr
Larry Gerace
Larry Goldstein
Barry Gumbiner
Alan Hall
Ulrich Hartl
Nobutaka Hirokawa
H. Robert Horvitz
Alan F. Horwitz
Keith Joiner
Hynda Kleinman
Stanley J. Korsmeyer
Arthur D. Lander
Jeanne Lawrence
Susan Lindquist
Joan Massague
Jacopo Meldolesi
Ira Mellman
Timothy J. Mitchison
Randall T. Moon
Andrew Murray
W. James Nelson
Eric N. Olson
Mu-ming Poo
Natasha V. Raikhel
Tom A. Rapoport
Louis F. Reichardt
Daniel B. Rifkin
Mark Rose
Joshua Sanes
Richard Scheller
Sandra Schmid
Trina Schroer
Jean Schwarzbauer
Shoichiro Tsukita
Graham Warren

Copyright © 1997 by The Rockefeller University Press

Contents:

Volume 139, Number 1, October 6, 1997

1 **Elasticity and structure of eukaryote chromosomes studied by micromanipulation and micropipette aspiration.**
B. Houchmandzadeh, J.F. Marko, D. Chatenay, and A. Libchaber

13 **Chromosome association of minichromosome maintenance proteins in *Drosophila* mitotic cycles.**
T.T. Su and P.H. O'Farrell

23 ***SOI1* encodes a novel, conserved protein that promotes TGN–endosomal cycling of Kex2p and other membrane proteins by modulating the function of two TGN localization signals.**
J.H. Brickner and R.S. Fuller

37 **Nef-mediated clathrin-coated pit formation.**
M. Foti, A. Mangasarian, V. Piguet, D.P. Lew, K.-H. Krause, D. Trono, and J.-L. Carpentier

49 **ADP-ribosylation factor 6 regulates a novel plasma membrane recycling pathway.**
H. Radhakrishna and J.G. Donaldson

63 **Large plasma membrane disruptions are rapidly resealed by Ca^{2+}-dependent vesicle–vesicle fusion events.**
M. Terasaki, K. Miyake, and P.L. McNeil

75 **A septin-based hierarchy of proteins required for localized deposition of chitin in the *Saccharomyces cerevisiae* cell wall.**
D.J. DeMarini, A.E.M. Adams, H. Fares, C. De Virgilio, G. Valle, J.S. Chuang, and J.R. Pringle

95 **Targeted inactivation of a tobacco intron–containing open reading frame reveals a novel chloroplast-encoded photosystem I–related gene.**
S. Ruf, H. Kössel, and R. Bock

103 **The GPI-phospholipase C of *Trypanosoma brucei* is nonessential but influences parasitemia in mice.**
H. Webb, N. Carnall, L. Vanhamme, S. Rolin, J. Van Den Abbeele, S. Welburn, E. Pays, and M. Carrington.

115 **A role for the p38 mitogen-activated protein kinase pathway in myocardial cell growth, sarcomeric organization, and cardiac-specific gene expression.**
D. Zechner, D.J. Thuerauf, D.S. Hanford, P.M. McDonough, and C.C. Glembotski

129 **Desmin is essential for the tensile strength and integrity of myofibrils but not for myogenic commitment, differentiation, and fusion of skeletal muscle.**
Z. Li, M. Mericskay, O. Agbulut, G. Butler-Browne, L. Carlsson, L.-E. Thornell, C. Babinet, and D. Paulin

145 **Positive and negative regulation of muscle cell identity by members of the *hedgehog* and *TGF-β* gene families.**
S.J. Du, S.H. Devoto, M. Westerfield, and R.T. Moon

157 **CRP1, a LIM domain protein implicated in muscle differentiation, interacts with α-Actinin.**
P. Pomiès, H.A. Louis, and M.C. Beckerle

169 **Identification of EBP50: A PDZ-containing phosphoprotein that associates with members of the ezrin-radixin-moesin family.**
D. Reczek, M. Berryman, and A. Bretscher

181 **Laminin-induced acetylcholine receptor clustering: An alternative pathway.**
J.E. Sugiyama, D.J. Glass, G.D. Yancopoulos, and Z.W. Hall

193 **Synaptopodin: An actin-associated protein in telencephalic dendrites and renal podocytes.**
P. Mundel, H.W. Heid, T.M. Mundel, M. Krüger, J. Reiser, and W. Kriz

205 **Bax deletion further orders the cell death pathway in cerebellar granule cells and suggests a caspase-independent pathway to cell death.**
T.M. Miller, K.L. Moulder, C.M. Knudson, D.J. Creedon, M. Deshmukh, S.J. Korsmeyer, and E.M. Johnson, Jr.

219 **Novel cytokine-independent induction of endothelial adhesion molecules regulated by platelet/endothelial cell adhesion molecule (CD31)**
M. Litwin, K. Clark, L. Noack, J. Furze, M. Berndt, S. Albelda, M. Vadas, and J. Gamble

229 **Analysis of the signaling activities of localization mutants of β-catenin during axis specification in *Xenopus*.**
J.R. Miller and R.T. Moon

245 **An endothelial storage granule for tissue-type plasminogen activator.**
J.J. Emeis, Y. van den Eijnden-Schrauwen, C.M. van den Hoogen, W. de Priester, A. Westmuckett, and F. Lupu

257 **Induction of the angiogenic phenotype by Hox D3.**
N. Boudreau, C. Andrews, A. Srebrow, A. Ravanpay, and D.A. Cheresh

265 **β1 integrin is essential for teratoma growth and angiogenesis.**
W. Bloch, E. Forsberg, S. Lentini, C. Brakebusch, K. Martin, H.W. Krell, U.H. Weidle, K. Addicks, and R. Fässler

279 **Regulation of Tenascin-C, a vascular smooth muscle cell survival factor that interacts with the $\alpha_v\beta_3$ integrin to promote epidermal growth factor receptor phosphorylation and growth.**
P.L. Jones, J. Crack, and M. Rabinovitch

295 **Modulation of cell-adhesive activity of fibronectin by the alternatively spliced EDA segment.**
R. Manabe, N. Oh-e, T. Maeda, T. Fukuda, and K. Sekiguchi

Volume 139, Number 2, October 20, 1997

Mini-Review

309 **Lessons from mice without telomerase.**
P.M. Lansdorp

Regular Articles

313 **Nucleocytoplasmic recycling of the nuclear localization signal receptor α subunit in vivo is dependent on a nuclear export signal, energy, and RCC1.**
I. Boche and E. Fanning

327 **p28 Bap31, a Bcl-2/Bcl-X_L- and procaspase-8–associated protein in the endoplasmic reticulum.**
F.W.H. Ng, M. Nguyen, T. Kwan, P.E. Branton, D.W. Nicholson, J.A. Cromlish, and G.C. Shore

339 **Phosphatidylinositol 3–kinase is required for the formation of constitutive transport vesicles from the TGN.**
S.M. Jones and K.E. Howell

351 **The phosphatidylinositol transfer protein domain of *Drosophila* retinal degeneration B protein is essential for photoreceptor cell survival and recovery from light stimulation.**
S.C. Milligan, J.G. Alb, Jr., R.B. Elagina, V.A. Bankaitis, and D.R. Hyde

365 **Dynamic distribution of chemoattractant receptors in living cells during chemotaxis and persistent stimulation.**
Z. Xiao, N. Zhang, D.B. Murphy, and P.N. Devreotes

375 **Animal models for muscular dystrophy show different patterns of sarcolemmal disruption.**
V. Straub, J.A. Rafael, J.S. Chamberlain, and K.P. Campbell

387 **Evidence for a conformational change in actin induced by fimbrin (N375) binding.**
D. Hanein, P. Matsudaira, and D.J. DeRosier

397 **Analysis of the actin–myosin II system in fish epidermal keratocytes: Mechanism of cell body translocation.**
T.M. Svitkina, A.B. Verkhovsky, K.M. McQuade, and G.G. Borisy

417 **Actomyosin-based retrograde flow of microtubules in the lamella of migrating epithelial cells influences microtubule dynamic instability and turnover and is associated with microtubule breakage and treadmilling.**
C.M. Waterman-Storer and E.D. Salmon

435 **The microtubule-dependent motor centromere–associated protein E (CENP-E) is an integral component of kinetochore corona fibers that link centromeres to spindle microtubules.**
X. Yao, K.L. Anderson, and D.W. Cleveland

449 **Thrombopoietin-induced polyploidization of bone marrow megakaryocytes is due to a unique regulatory mechanism in late mitosis.**
Y. Nagata, Y. Muro, and K. Todokoro

459 **The yeast motor protein, Kar3p, is essential for meiosis I.**
C.A. Bascom-Slack and D.S. Dawson

469 **Overexpression of the dynamitin (p50) subunit of the dynactin complex disrupts dynein-dependent maintenance of membrane organelle distribution.**
J.K. Burkhardt, C.J. Echeverri, T. Nilsson, and R.B. Vallee

485 **Increased apoptosis arising from increased expression of the Alzheimer's disease–associated presenilin-2 mutation (N141I).**
S. Janicki and M.J. Monteiro

497 **ATP- and gap junction–dependent intercellular calcium signaling in osteoblastic cells.**
N.R. Jørgensen, S.T. Geist, R. Civitelli, and T.H. Steinberg

507 **Actinin-associated LIM protein: Identification of a domain interaction between PDZ and spectrin-like repeat motifs.**
H. Xia, S.T. Winokur, W.-L. Kuo, M.R. Altherr, and D.S. Bredt

517 **Afadin: A novel actin filament–binding protein with one PDZ domain localized at cadherin-based cell-to-cell adherens junction.**
K. Mandai, H. Nakanishi, A. Satoh, H. Obaishi, M. Wada, H. Nishioka, M. Itoh, A. Mizoguchi, T. Aoki, T. Fujimoto, Y. Matsuda, S. Tsukita, and Y. Takai

529 **Induction of apoptosis after expression of PYK2, a tyrosine kinase structurally related to focal adhesion kinase.**
W.-c. Xiong and J.T. Parsons

541 **Expression of a truncated, kinase-defective TGF-β type II receptor in mouse skeletal tissue promotes terminal chondrocyte differentiation and osteoarthritis.**
R. Serra, M. Johnson, E.H. Filvaroff, J. LaBorde, D.M. Sheehan, R. Derynck, and H.L. Moses

553 **Laminin α1 chain synthesis in the mouse developing lung: Requirement for epithelial–mesenchymal contact and possible role in bronchial smooth muscle development.**
L. Schuger, A.P.N. Skubitz, J. Zhang, L. Sorokin, and L. He

563 **Presentation of integrins on leukocyte microvilli: A role for the extracellular domain in determining membrane localization.**
M.A. Abitorabi, R.K. Pachynski, R.E. Ferrando, M. Tidswell, and D.J. Erle

573 **ADDITIONS AND CORRECTIONS**

Volume 139, Number 3, November 3, 1997

Commentary

575 **Integrins, oncogenes, and anchorage independence.**
M.A. Schwartz

Regular Articles

579 **Mapping and use of a sequence that targets DNA ligase I to sites of DNA replication in vivo.**
M.C. Cardoso, C. Joseph, H.-P. Rahn, R. Reusch, B. Nadal-Ginard, and H. Leonhardt

589 **Targeting of NH_2-terminal–processed microsomal protein to mitochondria: A novel pathway for the biogenesis of hepatic mitochondrial P450MT2.**
S. Addya, H.K. Anandatheerthavarada, G. Biswas, S.V. Bhagwat, J. Mullick, and N.G. Avadhani

601 **Ca^{2+} homeostasis in the endoplasmic reticulum: Coexistence of high and low [Ca^{2+}] subcompartments in intact HeLa cells.**
M. Montero, J. Alvarez, W.J.J. Scheenen, R. Rizzuto, J. Meldolesi, and T. Pozzan

613 **The number and location of glycans on influenza hemagglutinin determine folding and association with calnexin and calreticulin.**
D.N. Hebert, J.-X. Zhang, W. Chen, B. Foellmer, and A. Helenius

625 **Mechanism of the facilitation of PC2 maturation by 7B2: Involvement in ProPC2 transport and activation but not folding.**
L. Muller, X. Zhu, and I. Lindberg

639 **Major histocompatibility complex class II compartments in human and mouse B lymphoblasts represent conventional endocytic compartments.**
M.J. Kleijmeer, S. Morkowski, J.M. Griffith, A.Y. Rudensky, and H.J. Geuze

651 **Phorbol esters and SDF-1 induce rapid endocytosis and down modulation of the chemokine receptor CXCR4.**
N. Signoret, J. Oldridge, A. Pelchen-Matthews, P.J. Klasse, T. Tran, L.F. Brass, M.M. Rosenkilde, T.W. Schwartz, W. Holmes, W. Dallas, M.A. Luther, T.N.C. Wells, J.A. Hoxie, and M. Marsh

665 **Homotypic lysosome fusion in macrophages: Analysis using an in vitro assay.**
D.M. Ward, J.D. Leslie, and J. Kaplan

675 **Flexibility within myosin heads revealed by negative stain and single-particle analysis.**
S.A. Burgess, M.L. Walker, H.D. White, and J. Trinick

683 **Brush border myosin–I structure and ADP-dependent conformational changes revealed by cryoelectron microscopy and image analysis.**
J.D. Jontes and R.A. Milligan

695 **Tomographic three-dimensional reconstruction of insect flight muscle partially relaxed by AMPPNP and ethylene glycol.**
H. Schmitz, M.C. Reedy, M.K. Reedy, R.T. Tregear, and K.A. Taylor

709 **Neurotrophin-3–enhanced nerve regeneration selectively improves recovery of muscle fibers expressing myosin heavy chains 2b.**
G.D. Sterne, G.R. Coulton, R.A. Brown, C.J. Green, and G. Terenghi

717 **Mal3, the fission yeast homologue of the human APC-interacting protein EB-1 is required for microtubule integrity and the maintenance of cell form.**
J.D. Beinhauer, I.M. Hagan, J.H. Hegemann, and U. Fleig

729 **A yeast mutant showing diagnostic markers of early and late apoptosis.**
F. Madeo, E. Fröhlich, and K.-U. Fröhlich

735 **Specific and redundant functions of retinoid X receptor/retinoic acid receptor heterodimers in differentiation, proliferation, and apoptosis of F9 embryonal carcinoma cells.**
H. Chiba, J. Clifford, D. Metzger, and P. Chambon

749 **ERM (ezrin/radixin/moesin)-based molecular mechanism of microvillar breakdown at an early stage of apoptosis.**
T. Kondo, K. Takeuchi, Y. Doi, S. Yonemura, S. Nagata, S. Tsukita, and S. Tsukita

759 **Dismantling cell–cell contacts during apoptosis is coupled to a caspase-dependent proteolytic cleavage of β-catenin.**
C. Brancolini, D. Lazarevic, J. Rodriguez, and C. Schneider

773 **The amino-terminal domain of desmoplakin binds to plakoglobin and clusters desmosomal cadherin–plakoglobin complexes.**
A.P. Kowalczyk, E.A. Bornslaeger, J.E. Borgwardt, H.L. Palka, A.S. Dhaliwal, C.M. Corcoran, M.F. Denning, and K.J. Green

785 **The ras target AF-6 interacts with ZO-1 and serves as a peripheral component of tight junctions in epithelial cells.**
T. Yamamoto, N. Harada, K. Kano, S.-i. Taya, E. Canaani, Y. Matsuura, A. Mizoguchi, C. Ide, and K. Kaibuchi

797 **The guanine nucleotide exchange factor Tiam1 affects neuronal morphology; opposing roles for the small GTPases Rac and Rho.**
F.N. van Leeuwen, H.E.T. Kain, R.A. van der Kammen, F. Michiels, O.W. Kranenburg, and J.G. Collard

809 **Activated phosphatidylinositol 3-kinase and Akt kinase promote survival of superior cervical neurons.**
K.L. Philpott, M.J. McCarthy, A. Klippel, and L.L. Rubin

817 **A sponge-like structure involved in the association and transport of maternal products during *Drosophila* oogenesis.**
M. Wilsch-Bräuninger, H. Schwarz, and C. Nüsslein-Volhard

Volume 139, Number 4, November 17, 1997

831 **Neocentromere-mediated chromosome movement in maize.**
H.-G. Yu, E.N. Hiatt, A. Chan, M. Sweeney, and R.K. Dawe

841 **Ran-unassisted nuclear migration of a 97-kD component of nuclear pore–targeting complex.**
S. Kose, N. Imamoto, T. Tachibana, T. Shimamoto, and Y. Yoneda

851 **Glypican and biglycan in the nuclei of neurons and glioma cells: Presence of functional nuclear localization signals and dynamic changes in glypican during the cell cycle.**
Y. Liang, M. Häring, P.J. Roughley, R.K. Margolis, and R.U. Margolis

865 **The testicular antiviral defense system: localization, expression, and regulation of 2′5′ oligoadenylate synthetase, double-stranded RNA-activated protein kinase, and Mx proteins in the rat seminiferous tubule.**
N. Dejucq, S. Chousterman, and B. Jégou

875 **Stimulation of NSF ATPase activity by α-SNAP is required for SNARE complex disassembly and exocytosis.**
R.J.O. Barnard, A. Morgan, and R.D. Burgoyne

885 **Multiple forms of endocytosis in bovine adrenal chromaffin cells.**
C. Smith and E. Neher

895 **Functional expression cloning and characterization of SFT, a stimulator of Fe transport.**
J.A. Gutierrez, J. Yu, S. Rivera, and M. Wessling-Resnick

907 **Differential localization of vesicular acetylcholine and monoamine transporters in PC12 cells but not CHO cells.**
Y. Liu and R.H. Edwards

917 **Targeting of the synaptic vesicle protein synaptobrevin in the axon of cultured hippocampal neurons: Evidence for two distinct sorting steps.**
A.E. West, R.L. Neve, and K.M. Buckley

929 **The *O*-glycosylated stalk domain is required for apical sorting of neurotrophin receptors in polarized MDCK cells.**
C. Yeaman, A.H. Le Gall, A.N. Baldwin, L. Monlauzeur, A. Le Bivic, and E. Rodriguez-Boulan

941 **The effect of apical and basolateral lipids on the function of the band 3 anion exchange protein.**
W. van't Hof, A. Malik, S. Vijayakumar, J. Qiao, J. van Adelsberg, and Q. Al-Awqati

951 **Neurabin: A novel neural tissue–specific actin filament–binding protein involved in neurite formation.**
H. Nakanishi, H. Obaishi, A. Satoh, M. Wada, K. Mandai, K. Satoh, H. Nishioka, Y. Matsuura, A. Mizoguchi, and Y. Takai

963 **Microtubule stabilization in pressure overload cardiac hypertrophy.**
H. Sato, T. Nagai, D. Kuppuswamy, T. Narishige, M. Koide, D.R. Menick, and G. Cooper IV

975 **XMAP310: A *Xenopus* rescue-promoting factor localized to the mitotic spindle.**
S.S.L. Andersen and E. Karsenti

985 **Astral microtubule dynamics in yeast: A microtubule-based searching mechanism for spindle orientation and nuclear migration into the bud.**
S.L. Shaw, E. Yeh, P. Maddox, E.D. Salmon, and K. Bloom

995 **Constitutive proteolysis of the ErbB-4 receptor tyrosine kinase by a unique, sequential mechanism.**
M. Vecchi and G. Carpenter

1005 **Fas induces cytoplasmic apoptotic responses and activation of the MKK7-JNK/SAPK and MKK6-p38 pathways independent of CPP32-like proteases.**
F. Toyoshima, T. Moriguchi, and E. Nishida.

1017 **Lack of correlation between activation of Jun–NH_2-terminal kinase and induction of apoptosis after detachment of epithelial cells.**
A. Khwaja and J. Downward

1025 **Precocious mammary gland development in P-cadherin–deficient mice.**
G.L. Radice, M.C. Ferreira-Cornwell, S.D. Robinson, H. Rayburn, L.A. Chodosh, M. Takeichi, and R.O. Hynes

1033 **Antagonism of cell adhesion by an α-catenin mutant, and of the Wnt-signaling pathway by α-catenin in *Xenopus* embryos.**
R.N.M. Sehgal, B.M. Gumbiner, and L.F. Reichardt

1047 **Regulation of cell–cell adhesion by Rac and Rho small G proteins in MDCK cells.**
K. Takaishi, T. Sasaki, H. Kotani, H. Nishioka, and Y. Takai

1061 **ADDITIONS AND CORRECTIONS**

Volume 139, Number 5, December 1, 1997

1063 ***KAR5* encodes a novel pheromone-inducible protein required for homotypic nuclear fusion.**
C.T. Beh, V. Brizzio, and M.D. Rose

1077 **Lamin-binding fragment of LAP2 inhibits increase in nuclear volume during the cell cycle and progression into S phase.**
L. Yang, T. Guan, and L. Gerace

1089 **The human dnaJ homologue dj2 facilitates mitochondrial protein import and luciferase refolding.**
K. Terada, M. Kanazawa, B. Bukau, and M. Mori

1097 **Coupled ER to Golgi transport reconstituted with purified cytosolic proteins.**
C. Barlowe

1109 **Role of NAD^+ and ADP-ribosylation in the maintenance of the Golgi structure.**
A. Mironov, A. Colanzi, M.G. Silletta, G. Fiucci, S. Flati, A. Fusella, R. Polishchuk, A. Mironov Jr., G. Di Tullio, R. Weigert, V. Malhotra, D. Corda, M.A. De Matteis, and A. Luini

1119 **Involvement of the transmembrane protein p23 in biosynthetic protein transport.**
M. Rojo, R. Pepperkok, G. Emery, R. Kellner, E. Stang, R.G. Parton, and J. Gruenberg

1137 **Golgi tubule traffic and the effects of brefeldin A visualized in living cells.**
N. Sciaky, J. Presley, C. Smith, K.J.M. Zaal, N. Cole, J.E. Moreira, M. Terasaki, E. Siggia, and J. Lippincott-Schwartz

1157 **The mammalian protein (rbet1) homologous to yeast Bet1p is primarily associated with the pre-Golgi intermediate compartment and is involved in vesicular transport from the endoplasmic reticulum to the Golgi apparatus.**
T. Zhang, S.H. Wong, B.L. Tang, Y. Xu, F. Peter, V.N. Subramaniam, and W. Hong

1169 **Molecular motors and a spectrin matrix associate with Golgi membranes in vitro.**
K.R. Fath, G.M. Trimbur, and D.R. Burgess

1183 **Functional dissection of COP-I subunits in the biogenesis of multivesicular endosomes.**
F. Gu, F. Aniento, R.G. Parton, and J. Gruenberg

1197 **In vivo analysis of the major exocytosis-sensitive phosphoprotein in *Tetrahymena*.**
N.D. Chilcoat and A.P. Turkewitz

1209 **Role for a glycan phosphoinositol anchor in Fcγ receptor synergy.**
J.M. Green, A.D. Schreiber, and E.J. Brown

1219 **Growth and muscle defects in mice lacking adult myosin heavy chain genes.**
L.J.R. Acakpo-Satchivi, W. Edelmann, C. Sartorius, B.D. Lu, P.A. Wahr, S.C. Watkins, J.M. Metzger, L. Leinwand, and R. Kucherlapati

1231 **Accumulation of muscle ankyrin repeat protein transcript reveals local activation of primary myotube endcompartments during muscle morphogenesis.**
A. Baumeister, S. Arber, and P. Caroni

1243 **Capping protein terminates but does not initiate chemoattractant-induced actin assembly in *Dictyostelium*.**
R.J. Eddy, J. Han, and J.S. Condeelis

1255 **Supervillin (p205): A novel membrane-associated, F-actin–binding protein in the villin/gelsolin superfamily.**
K.N. Pestonjamasp, R.K. Pope, J.D. Wulfkuhle, and E.J. Luna

1271 **Stu2p: A microtubule-binding protein that is an essential component of the yeast spindle pole body.**
P.J. Wang and T.C. Huffaker

1281 **Movement of Bax from the cytosol to mitochondria during apoptosis.**
K.G. Wolter, Y.-T. Hsu, C.L. Smith, A. Nechushtan, X.-G. Xi, and R.J. Youle

1293 **Targeted deletion of the PEX2 peroxisome assembly gene in mice provides a model for Zellweger syndrome, a human neuronal migration disorder.**
P.L. Faust and M.E. Hatten

1307 **Neurofilaments and orthograde transport are reduced in ventral root axons of transgenic mice that express human SOD1 with a G93A mutation.**
B. Zhang, P.-h. Tu, F. Abtahian, J.Q. Trojanowski, and V.M.-Y. Lee

1317 **Requirement for cGMP in nerve cell death caused by glutathione depletion.**
Y. Li, P. Maher, and D. Schubert

1325 **Regulation of β-catenin levels and localization by overexpression of plakoglobin and inhibition of the ubiquitin-proteasome system.**
D. Salomon, P.A. Sacco, S.G. Roy, I. Simcha, K.R. Johnson, M.J. Wheelock, and A. Ben-Ze'ev

1337 **Epithelial cell adhesion molecule (Ep-CAM) modulates cell–cell interactions mediated by classic cadherins.**
S.V. Litvinov, M. Balzar, M.J. Winter, H.A.M. Bakker, I.H. B.-de Bruijn, F. Prins, G.J. Fleuren, and S.O. Warnaar

1349 **Multistep navigation and the combinatorial control of leukocyte chemotaxis.**
E.F. Foxman, J.J. Campbell, and E.C. Butcher

Volume 139, Number 6, December 15, 1997

1361 **A chromatin-associated kinesin-related protein required for normal mitotic chromosome segregation in *Drosophila*.**
I. Molina, S. Baars, J.A. Brill, K.G. Hales, M.T. Fuller, and P. Ripoll

1373 **CENP-E function at kinetochores is essential for chromosome alignment.**
B.T. Schaar, G.K.T. Chan, P. Maddox, E.D. Salmon, and T.J. Yen

1383 **Probing the architecture of a simple kinetochore using DNA–protein crosslinking.**
C.W. Espelin, K.B. Kaplan, and P.K. Sorger

1397 **Export of cellubrevin from the endoplasmic reticulum is controlled by BAP31.**
W.G. Annaert, B. Becker, U. Kistner, M. Reth, and R. Jahn

1411 **Ceramide accumulation uncovers a cycling pathway for the *cis*-Golgi network marker, infectious bronchitis virus M protein.**
M. Maceyka and C.E. Machamer

1419 **Peroxisomal targeting, import, and assembly of alcohol oxidase in *Pichia pastoris*.**
H.R. Waterham, K.A. Russell, Y. de Vries, and J.M. Cregg

1433 **Distinct intracellular compartments involved in invariant chain degradation and antigenic peptide loading of major histocompatibility complex (MHC) class II molecules.**
G. Ferrari, A.M. Knight, C. Watts, and J. Pieters

1447 **Compartmentalized IgE receptor–mediated signal transduction in living cells.**
T.P. Stauffer and T. Meyer

1455 **Activation of a retroviral membrane fusion protein: Soluble receptor-induced liposome binding of the ALSV envelope glycoprotein.**
L.D. Hernandez, R.J. Peters, S.E. Delos, J.A.T. Young, D.A. Agard and J.M. White

1465 **Direct visualization of the translocation of the γ-subspecies of protein kinase C in living cells using fusion proteins with green fluorescent protein.**
N. Sakai, K. Sasaki, N. Ikegaki, Y. Shirai, Y. Ono, and N. Saito

1477 **Sarcomeric gene expression and contractility in myofibroblasts.**
D.C.G. Mayer and L.A. Leinwand

1485 **The *Arabidopsis* KNOLLE protein is a cytokinesis-specific syntaxin.**
M.H. Lauber, I. Waizenegger, T. Steinmann, H. Schwarz, U. Mayer, I. Hwang, W. Lukowitz, and G. Jürgens.

1495 **The axonal membrane protein Caspr, a homologue of Neurexin IV, is a component of the septate-like paranodal junctions that assemble during myelination.**
S. Einheber, G. Zanazzi, W. Ching, S. Scherer, T.A. Milner, E. Peles, and J.L. Salzer

1507 **Distribution and function of laminins in the neuromuscular system of developing, adult, and mutant mice.**
B.L. Patton, J.H. Miner, A.Y. Chiu, and J.R. Sanes

1523 **Ligation of major histocompatability complex (MHC) class I molecules on human T cells induces cell death through PI-3 kinase–induced c-Jun NH_2-terminal kinase activity: A novel apoptotic pathway distinct from Fas-induced apoptosis.**
S. Skov, P. Klausen, and M.H. Claesson

1533 **Thyroid hormone induces apoptosis in primary cell cultures of tadpole intestine: Cell type specificity and effects of extracellular matrix.**
Y. Su, Y. Shi, M.A. Stolow, and Y.-B. Shi

1545 **Embryonic expression of the putative γ subunit of the sodium pump is required for acquisition of fluid transport capacity during mouse blastocyst development.**
D.H. Jones, T.C. Davies, and G.M. Kidder

1553 **Key role of the *Cdx2* homeobox gene in extracellular matrix–mediated intestinal cell differentiation.**
O. Lorentz, I. Duluc, A. De Arcangelis, P. Simon-Assmann, M. Kedinger, and J.-N. Freund

1567 **A single immunoglobulin-like domain of the human neural cell adhesion molecule L1 supports adhesion by multiple vascular and platelet integrins.**
B. Felding-Habermann, S. Silletti, F. Mei, C.-H. Siu, P.M. Yip, P.C. Brooks, D.A. Cheresh, T.E. O'Toole, M.H. Ginsberg, and A.M.P. Montgomery

1583 **Muscle β1D integrin reinforces the cytoskeleton–matrix link: Modulation of integrin adhesive function by alternative splicing.**
A.M. Belkin, S.F. Retta, O.Y. Pletjushkina, F. Balzac, L. Silengo, R. Fassler, V.E. Koteliansky, K. Burridge, and G. Tarone

Volume 139, Number 7, December 29, 1997

1597 **Spatial organization of large-scale chromatin domains in the nucleus: A magnified view of single chromosome territories.**
J. Ferreira, G. Paolella, C. Ramos, and A.I. Lamond

1611 **Lack of checkpoint control at the metaphase/anaphase transition: A mechanism of meiotic nondisjunction in mammalian females.**
R. LeMaire-Adkins, K. Radke, and P.A. Hunt

1621 **Evidence for covalent modification of the nuclear dot–associated proteins PML and Sp100 by PIC1/SUMO-1.**
T. Sternsdorf, K. Jensen, and H. Will

1635 **Extracellular ATP activates transcription factor NF-κB through the P2Z purinoreceptor by selectively targeting NF-κB p65 (RelA).**
D. Ferrari, S. Wesselborg, M.K.A. Bauer, and K. Schulze-Osthoff

1645 **A distinct and parallel pathway for the nuclear import of an mRNA-binding protein.**
L.F. Pemberton, J.S. Rosenblum, and G. Blobel

1655 **A nuclear import pathway for a protein involved in tRNA maturation.**
J.S. Rosenblum, L.F. Pemberton, and G. Blobel

1663 **The Tim54p–Tim22p complex mediates insertion of proteins into the mitochondrial inner membrane.**
O. Kerscher, J. Holder, M. Srinivasan, R.S. Leung, and R.E. Jensen

1677 **Analysis of the interactions of preproteins with the import machinery over the course of protein import into chloroplasts.**
A. Kouranov and D.J. Schnell

1687 **Two distinct pathways for targeting proteins from the cytoplasm to the vacuole/lysosome.**
M. Baba, M. Osumi, S.V. Scott, D.J. Klionsky, and Y. Ohsumi

1697 **Regulation of the ribosome–membrane junction at early stages of presecretory protein translocation in the mammalian endoplasmic reticulum.**
C.V. Nicchitta and T. Zheng

1709 **Ultrastructural organization of bovine chromaffin cell cortex—analysis by cryofixation and morphometry of aspects pertinent to exocytosis.**
H. Plattner, A.R. Artalejo, and E. Neher

1719 **Cytoskeletal protein ABP-280 directs the intracellular trafficking of furin and modulates proprotein processing in the endocytic pathway.**
G. Liu, L. Thomas, R.A. Warren, C.A. Enns, C.C. Cunningham, J.H. Hartwig, and G. Thomas

1735 **Aggregation as a determinant of protein fate in post-Golgi compartments: Role of the luminal domain of furin in lysosomal targeting.**
N. Wolins, H. Bosshart, H. Küster, and J.S. Bonifacino.

1747 **Inhibition of endosome function in CHO cells bearing a temperature-sensitive defect in the coatomer (COPI) component ϵ-COP.**
E. Daro, D. Sheff, M. Gomez, T. Kreis, and I. Mellman

1761 **The yeast adaptor protein complex, AP-3, is essential for the efficient delivery of alkaline phosphatase by the alternate pathway to the vacuole.**
J.D. Stepp, K. Huang, and S.K. Lemmon

1775 **Cytoskeletal association is important for differential targeting of glucose transporter isoforms in *Leishmania.***
E.L. Snapp and S.M. Landfear

1785 **The sleep-inducing lipid oleamide deconvolutes gap junction communication and calcium wave transmission in glial cells.**
X. Guan, B.F. Cravatt, G.R. Ehring, J.E. Hall, D.L. Boger, R.A. Lerner, and N.B. Gilula

1793 **Three-dimensional patterns and redistribution of myosin II and actin in mitotic *Dictyostelium* cells.**
R. Neujahr, C. Heizer, R. Albrecht, M. Ecke, J.-M. Schwartz, I. Weber, and G. Gerisch

1805 **Myosin light chain–activating phosphorylation sites are required for oogenesis in Drosophila.**
P. Jordan and R. Karess.

1821 **Actin-binding verprolin is a polarity development protein required for the morphogenesis and function of the yeast actin cytoskeleton.**
G. Vaduva, N.C. Martin, and A.K. Hopper

1835 **Periplakin, a novel component of cornified envelopes and desmosomes that belongs to the plakin family and forms complexes with envoplakin.**
C. Ruhrberg, M.A.N. Hajibagheri, D.A.D. Parry, and F.M. Watt

1851 **A novel family of serine/threonine kinases participating in spermiogenesis.**
P. Kueng, Z. Nikolova, V. Djonov, A. Hemphill, V. Rohrbach, D. Boehlen, G. Zuercher, A.-C. Andres, and A. Ziemiecki

1861 **Matrix metalloproteinase stromelysin–1 triggers a cascade of molecular alterations that leads to stable epithelial-to-mesenchymal conversion and a premalignant phenotype in mammary epithelial cells.**
A. Lochter, S. Galosy, J. Muschler, N. Freedman, Z. Werb, and M.J. Bissell

1873 **The integrin α6β4 functions in carcinoma cell migration on laminin-1 by mediating the formation and stabilization of actin-containing motility structures.**
I. Rabinovitz and A.M. Mercurio

1885 **AUTHOR INDEX FOR VOLUMES 136–139**

1915 **SUBJECT INDEX FOR VOLUMES 136–139**

1939 **ACKNOWLEDGMENT**